INDEX TO AUTHORS

AJL, Samuel J. Studies on the mechanism of acetate oxidation by bacteria. V. Evidence for the participation of fumarate, malate, and oxalacetate in the oxidation of acetic acid by *Escherichia coli*, 785

—. See Hersey and Ajl, 295

Anderson, Norman G., and Wilbur, Karl M. Studies on isolated cell components. II. The release of a nuclear gel by heparin, 647

Ardao, Maria Isabel. See Barron, Ardao, and Hearon, 211

Arnold, William A. See Holt, Brooks, and Arnold, 627

—. See Strehler and Arnold, 809

BAILLY, Margaret D. See Fenn, Gerschman, Fischer, Lacy, Bailly, and Wright, 607

Barlow, James L. See Herriott, 761

Barron, E. S. Guzman, Ardao, Maria Isabel, and Hearon, Marion. Regulatory mechanisms of cellular respiration. III. Enzyme distribution in the cell. Its influence on the metabolism of pyruvic acid by bakers' yeast, 211

Barry, Enid. See Jacquez and Barry, 765

Beyl, Gertrude E. See Sheppard and Beyl, 691

—. See Sheppard, Martin, and Beyl, 411

Blum, Harold F., Loos, Gordon M., and Robinson, J. Courtland. The accelerating action of illumination in recovery of *Arbacia* eggs from exposure to ultraviolet radiation, 167

Boyles, Paul W., Ferguson, John H., and Muehlke, Paul H. Mechanisms involved in fibrin formation, 493

Brooks, I. A. See Holt, Brooks, and Arnold, 627

Buchanan, Donald L. Uptake and retention of fixed carbon in adult mice, 737

CHOPPIN, A. R. See Williams and Choppin, 183

Crozier, W. J. On the visibility of radiation at the human fovea, 87

Cunningham, Lew, Griffin, A. Clark, and Luck, J. Murray. Polyploidy and cancer. The desoxypentosenucleic acid content of nuclei of normal, precancerous, and neoplastic rat tissues, 59

Curtis, Howard J., and Myers, John L. Failure to find intercellular protoplasmic continuity in *Griffithsia globulifera*, 525

DALY, Marie M., Mirsky, A. E., and Ris, Hans. The amino acid composition and some properties of histones, 439

Davies, Robert I. See LeFevre and Davies, 515

DiVittorio, Alberta. See Buchanan, 737

EISENBERG, Max A., and Schwert, George W. The reversible heat denaturation of chymotrypsinogen, 583

Entner, Nathan, and Kirk, Paul L. Study of some enzyme systems by means of the differential microrespirometer, 431

ESPOSITO, MARIA. See ODDO and ESPOSITO, 285
ETTISCH, G. Biologic significance of the structure of hydrocarbons. I. Chain structure, 43

FENN, WALLACE O., GERSCHMAN, REBECA, FISCHER, GEORGE, LACY, JANE, BAILLY, MARGARET D., and WRIGHT, JOAN L. Experiments on the role of potassium in the blocking of neuromuscular transmission by curare and other drugs, 607
FERGUSON, JOHN H. See BOYLES, FERGUSON, and MUEHLKE, 493
FISCHER, GEORGE. See FENN, GERSCHMAN, FISCHER, LACY, BAILLY, and WRIGHT, 607
FOSTER, MARILEE. See KURNICK and FOSTER, 147
FOSTER, RUTH A. C., and JOHNSON, FRANK H. Influence of urethane and of hydrostatic pressure on the growth of bacteriophages T2, T5, T6, and T7, 529

GERSCHMAN, REBECA. See FENN, GERSCHMAN, FISCHER, LACY, BAILLY, and WRIGHT, 607
GEST, H. See HERSHEY, KAMEN, KENNEDY, and GEST, 305
GRIFFIN, A. CLARK. See CUNNINGHAM, GRIFFIN, and LUCK, 59

HEARON, MARION. See BARRON, ARDAO, and HEARON, 211
HERRIOTT, ROGER M. Nucleic acid synthesis in mustard gas–treated *E. coli* B, 761
HERSEY, DAVID F., and AJL, SAMUEL J. Phosphorylation due to the oxidation of succinic acid by cell-free extracts of *Escherichia coli*, 295
HERSHEY, A. D., KAMEN, M. D., KENNEDY, J. W., and GEST, H. The mortality of bacteriophage containing assimilated radioactive phosphorus, 305
HOLT, A. S., BROOKS, I. A., and ARNOLD, WILLIAM A. Some effects of 2537 Å on green algae and chloroplast preparations, 627
HULL, WAYNE, and KIRK, PAUL L. Tissue culture studies. VI. The effect of medium constituents on nucleic acids and uptake of P^{32}, 81
—, PERRONE, J. C., and KIRK, PAUL L. Tissue culture studies. V. Analogues for nicotinic acid, 75

JACQUEZ, JOHN A., and BARRY, ENID. Tissue culture media. The essential non-dialyzable factors in human placental cord serum, 765
JOHNSON, FRANK H. See FOSTER and JOHNSON, 529
JONES, D., and KRUEGER, A. P. A rapid slide plaque technic for bacteriophage assay, 347

KAMEN, M. D. See HERSHEY, KAMEN, KENNEDY, and GEST, 305
KAVANAU, J. LEE. Enzyme kinetics and the rate of biological processes, 193
KELNER, ALBERT. Action spectra for photoreactivation of ultraviolet-irradiated *Escherichia coli* and *Streptomyces griseus*, 835
KENNEDY, J. W. See HERSHEY, KAMEN, KENNEDY, and GEST, 305
KINSEY, V. EVERETT. The chemical composition and the osmotic pressure of the aqueous humor and plasma of the rabbit, 389
KIRK, PAUL L. See ENTNER and KIRK, 431
—. See HULL and KIRK, 81
—. See HULL, PERRONE, and KIRK, 75
KIRSCHNER, L. B., and STONE, W. E. Action of inhibitors at the myoneural junction, 821

KOPPER, PAUL H. The reduction of formaldehyde by bacterial cells, 573
—. Studies on a sarcosine oxidase of bacterial origin, 9
KRUEGER, A. P. See JONES and KRUEGER, 347
KURNICK, N. B., and FOSTER, MARILEE. Methyl green. III. Reaction with desoxyribonucleic acid, stoichiometry, and behavior of the reaction product, 147

LACY, JANE. See FENN, GERSCHMAN, FISCHER, LACY, BAILLY, and WRIGHT, 607
LEFEVRE, MARIAN E. See LEFEVRE, 19
LEFEVRE, PAUL G. Excitation characteristics of the squid giant axon: A test of excitation theory in a case of rapid accommodation, 19
— and DAVIES, ROBERT I. Active transport into the human erythrocyte: evidence from comparative kinetics and competition among monosaccharides, 515
LEVINE, H. B. The influence of insulin on the rate of glucose oxidation by *Pasteurella pestis*, 161
LOOS, GORDON M. See BLUM, LOOS, and ROBINSON, 167
LUCK, J. MURRAY. See CUNNINGHAM, GRIFFIN, and LUCK, 59

MACLEOD, JOHN. Sulfhydryl groups in relation to the metabolism and motility of human spermatozoa, 705
MARTIN, W. R. See SHEPPARD, MARTIN, and BEYL, 411
MAXFIELD, MYLES. Studies of nerve proteins. Isolation and physicochemical characterization of a protein from lobster nerve, 853
MIRSKY, A. E., and RIS, HANS. The composition and structure of isolated chromosomes, 475
— and —. The desoxyribonucleic acid content of animal cells and its evolutionary significance, 451
MIRSKY, A. E. See DALY, MIRSKY, and RIS, 439
MOTE, F. A., and RIOPELLE, A. J. The effect of varying the intensity and the duration of preexposure upon foveal dark adaptation in the human eye, 657
MUEHLKE, PAUL H. See BOYLES, FERGUSON, and MUEHLKE, 493
MUELLER, CONRAD G. Frequency of seeing functions for intensity discrimination at various levels of adapting intensity, 463
MYERS, JOHN L. See CURTIS and MYERS, 525

NAKAO, AKIRA. See BUCHANAN, 737
NORTHROP, JOHN H. Growth and phage production of lysogenic *B. megatherium*, 715

ODDO, ANNA MONROY, and ESPOSITO, MARIA. Changes in the potassium content of sea urchin eggs on fertilization, 285
OSTERHOUT, W. J. V. Distant effects of toxic agents, 279
—. Injury in relation to cell organization, 321

PARDEE, ARTHUR B. Enzyme activity and bacteriophage infection. I. Breakdown of adenosinetriphosphate, 619
PERRONE, J. C. See HULL, PERRONE, and KIRK, 75
PONDER, ERIC. Anomalous features of the loss of K from human red cells: results of extended observations, 359
—. Diffractometric measurements of the tonicity-volume relations of human red cells in hypotonic systems, 567
—. Tissue hemolysins as lysin-inhibitor complexes, 551
PRICE, WINSTON H. Phage formation

in *Staphylococcus muscae* cultures. VII. Partial purification of the protein factor necessary for virus synthesis, 225
PRICE, WINSTON H. VIII. Effect of the protein factor and aspartic acid on virus synthesis with various bacterial strains, 231
—. IX. Effect of multiple infection on virus synthesis in the absence and presence of specific substrates, 251

RIOPELLE, A. J. See MOTE and RIOPELLE, 657
RIS, HANS. See DALY, MIRSKY, and RIS, 439
—. See MIRSKY and RIS, 451, 475
ROBIN, LEON. See KOPPER, 9, 573
ROBINSON, J. COURTLAND. See BLUM, LOOS, and ROBINSON, 167
ROSENE, HILDA F. Aging and the influx of water into radish root-hair cells, 65

SATO, MASAYASU. See TASAKI and SATO, 373
SCHWERT, GEORGE W. See EISENBERG and SCHWERT, 583
SEAMAN, GERALD R. Enzyme systems in *Tetrahymena geleii* S. I. Anaerobic dehydrogenases concerned with carbohydrate oxidation, 775
SHANES, ABRAHAM M. Potassium movement in relation to nerve activity, 795
SHEPPARD, C. W., and BEYL, GERTRUDE E. Cation exchange in mammalian erythrocytes. III. The prolytic effect of x-rays on human cells, 691
—, MARTIN, W. R., and BEYL, GERTRUDE E. Cation exchange between cells and plasma of mammalian blood. II. Sodium and potassium exchange in the sheep, dog, cow, and man and the effect of varying the plasma potassium concentration, 411
SNYDERMAN, SELMA E. See WU and SNYDERMAN, 339
STONE, W. E. See KIRSCHNER and STONE, 821
STREHLER, BERNARD L., and ARNOLD, WILLIAM A. Light production by green plants, 809
SUCKLING, E. E., and SUCKLING, J. A. The electrical response of the lateral line system of fish to tone and other stimuli, 1
SUCKLING, J. A. See SUCKLING and SUCKLING, 1

TASAKI, ICHIJI, and SATO, MASAYASU. On the relation of the strength-frequency curve in excitation by alternating current to the strength-duration and latent addition curves of the nerve fiber, 373
TURNER, R. S. See WIERSMA and TURNER, 137

WAKSMAN, BYRON H. The significance of regression line slope changes in the quantitative titration of complement components, 37
WATANABE, MARY ISHIMOTO, and WILLIAMS, CARROLL M. Mitochondria in the flight muscles of insects. I. Chemical composition and enzymatic content, 675
WIERSMA, C. A. G., and TURNER, R. S. The interaction between the synapses of a single motor fiber, 137
WILBUR, KARL M. See ANDERSON and WILBUR, 647
WILLIAMS, CARROLL M. See WATANABE and WILLIAMS, 675
WILLIAMS, H. B., and CHOPPIN, A. R. Adsorption studies in a synthetic rubber latex-ovalbumin system, 183

WRIGHT, JOAN L. See FENN, GERSCHMAN, FISCHER, LACY, BAILLY, and WRIGHT, 607

WU, HSIEN. Calculation of the rate of turnover of a compound from excretion data of a labeled end-product, 325

WU, HSIEN. Relative concentrations of N^{15} in urinary ammonia N and urea N after feeding N^{15}-labeled compounds, 403

— and SNYDERMAN, SELMA E. Rate of excretion of N^{15} after feeding N^{15}-labeled *l*-aspartic acid in man, 339

INDEX TO SUBJECTS

ACCOMMODATION, rapid, excitation characteristics of squid giant axon, test of excitation theory in case of, 19

Acetate oxidation by bacteria, mechanism, evidence for participation of fumarate, malate, and oxalacetate in oxidation of acetic acid by *Escherichia coli*, 785

Acetic acid oxidation by *Escherichia coli*, evidence for participation of fumarate, malate, and oxalacetate in, 785

Acid, acetic, oxidation by *Escherichia coli*, evidence for participation of fumarate, malate, and oxalacetate in, 785

—, *l*-aspartic, isotopic nitrogen-labeled, excretion rate in man of isotopic nitrogen after feeding, 339

—, aspartic, and protein factor, effect on virus synthesis with various strains of *Staphylococcus muscae*, 231

— composition, amino, and some properties of histones, 439

—, desoxypentosenucleic, content of nuclei of normal, precancerous, and neoplastic rat tissues, 59

—, desoxyribonuleic, content of animal cells and its evolutionary significance, 451

—, desoxyribonucleic, reaction of methyl green with, stoichiometry, and behavior of reaction product, 147

—, nicotinic, analogues, tissue culture studies, 75

—, nucleic, synthesis, in mustard gas–treated *Escherichia coli* B, 761

—, pyruvic, metabolism by bakers' yeast, influence of enzyme distribution in cell, 211

Acid, succinic, oxidation by cell-free extracts of *Escherichia coli*, phosphorylation due to, 295

Acids, nucleic, and radiaoctive phosphorus uptake, effect of medium constituents in tissue culture studies, 81

Adenosinetriphosphate breakdown, enzyme activity and bacteriophage infection, 619

Adsorption studies in a synthetic rubber latex–ovalbumin system, 183

Aging and influx of water into radish root-hair cells, 65

Albumin, ovo-, adsorption on synthetic rubber latex, 183

Algae, green, and chloroplast preparations, effects of 2537 Angstroms, 627

Amino acid composition and some properties of histones, 439

Ammonia nitrogen, urinary, and urea nitrogen, relative concentrations of isotopic nitrogen in after feeding isotopic nitrogen-labeled compounds, 403

Anaerobic dehydrogenases concerned with carbohydrate oxidation in *Tetrahymena geleii* S, 775

Aqueous humor and plasma of rabbit, chemical composition and osmotic pressure, 389

Arbacia eggs, recovery from exposure to ultraviolet radiation, accelerating action of illumination, 167

l-Aspartic acid, isotopic nitrogen-labeled, excretion rate in man of isotopic nitrogen after feeding, 339

Aspartic acid and protein factor, effect on virus synthesis with vari-

ous strains of *Staphylococcus muscae*, 231
Axon, squid giant, excitation characteristics, test of excitation theory in rapid accommodation case, 19

BACILLUS *megatherium*, lysogenic, growth and bacteriophage production, 715
Bacteria, acetate oxidation, mechanism, evidence for participation of fumarate, malate, and oxalacetate in oxidation of acetic acid by *Escherichia coli*, 785
Bacterial cells, formaldehyde reduction by, 573
— origin of sarcosine oxidase, 9
—strains, effect of protein factor and aspartic acid on virus synthesis with, bacteriophage formation in *Staphylococcus muscae* cultures, 231
Bacteriophage assay, rapid slide plaque technique, 347
— containing assimilated radioactive phosphorus, mortality, 305
— formation in *Staphylococcus muscae* cultures, effect of multiple infection on virus synthesis in absence and presence of specific substrates, 251
— formation in *Staphylococcus muscae* cultures, effect of protein factor and aspartic acid on virus synthesis with various strains, 231
— formation in *Staphylococcus muscae* cultures, partial purification of protein factor necessary for virus synthesis, 225
— infection and enzyme activity, breakdown of adenosinetriphosphate, 619
— production and growth of lysogenic *Bacillus megatherium*, 715
Bacteriophages T2, T5, T6, and T7, influence of urethane and of hydrostatic pressure on growth of, 529
Biologic significance of structure of hydrocarbons, chain structure, 43
Biological processes, rate, and enzyme kinetics, 193
Blocking of neuromuscular transmission by curare and other drugs, role of potassium, 607
Blood cells, red. *See* Erythrocytes.
— corpuscles, red. *See* Erythrocytes.
—, mammalian, cells and plasma, cation exchange between, sodium and potassium exchange in sheep, dog, cow, and man, effect of plasma potassium concentration, 411

CANCER and polyploidy, desoxypentosenucleic acid content of nuclei of normal, precancerous, and neoplastic rat tissues, 59
Carbohydrate oxidation in *Tetrahymena geleii* S, anaerobic dehydrogenases concerned with, 775
Carbon, fixed, uptake and retention in adult mice, 737
Cation exchange between cells and plasma of mammalian blood, sodium and potassium exchange in sheep, dog, cow, and man, and effect of plasma potassium concentration, 411
— exchange in mammalian erythrocytes, prolytic effect of x-rays on human cells, 691
Cell components, isolated, release of nuclear gel by heparin, 647
—, enzyme distribution, influence on pyruvic acid metabolism by bakers' yeast, 211
— organization, injury in relation to, 321
Cell-free extracts of *Escherichia coli*, phosphorylation due to succinic acid oxidation by, 295
Cells, animal, desoxyribonucleic acid content, and its evolutionary significance, 451
—, bacterial, formaldehyde reduction by, 573
—, blood, red. *See* Erythrocytes.
— and plasma of mammalian blood, cation exchange between, sodium and potassium exchange in sheep,

dog, cow, and man, effect of plasma potassium concentration, 411
Cells, protoplasmic continuity between, not found in, 525
—, radish root-hair, aging and influx of water into, 65
Cellular respiration, enzyme distribution in cell, influence on pyruvic acid metabolism by bakers' yeast, 211
Chain structure of hydrocarbons, biologic significance, 43
Chemical composition and enzymatic content of mitochondria in flight muscles of insects, 675
— composition and osmotic pressure of aqueous humor and plasma of rabbit, 389
—, physico-, characterization and isolation of lobster nerve protein, 853
Chloroplast preparations, and green algae, effects of 2537 Angstroms, 627
Chromosomes, isolated, composition and structure, 475
Chymotrypsinogen, reversible heat denaturation, 583
Complement components, quantitative titration, significance of regression line slope changes in, 37
Corpuscles, blood, red. *See* Erythrocytes.
Cow, sheep, dog, and man, sodium and potassium exchange, effect of plasma potassium concentration, 411
Cultivation media, tissue, essential non-dialyzable factors in human placental cord serum, 765
— of *Staphylococcus muscae*, bacteriophage formation, effect of multiple infection on virus synthesis in absence and presence of specific substrates, 251
— of *Staphylococcus muscae*, bacteriophage formation, effect of protein factor and aspartic acid on virus synthesis with various strains, 231
Cultivation of *Staphylococcus muscae*, bacteriophage formation, partial purification of protein factor necessary for virus synthesis, 225
—, tissue, analogues for nicotinic acid, 75
—, tissue, effect of medium constituents on nucleic acids and radioactive phosphorus uptake, 81
Curare and other drugs blocking neuromuscular transmission, role of potassium, 607

DARK adaptation, foveal, in human eye, effect of varying intensity and duration of preexposure, 657
Dehydrogenases, anaerobic, concerned with carbohydrate oxidation in *Tetrahymena geleii* S, 775
Desoxyribonucleic acid content of animal cells and its evolutionary significance, 451
— acid content of nuclei of normal, precancerous, and neoplastic rat tissues, 59
— acid, reaction of methyl green with, stoichiometry, and behavior of reaction product, 147
Dialysis, human, placental cord serum, 765
Diffractometric measurements of tonicity-volume relations of human red cells in hypotonic systems, 567
Dog, sheep, cow, and man, sodium and potassium exchange, effect of plasma potassium concentration, 411
Drugs blocking neuromuscular transmission, role of potassium in, 607

EGGS, *Arbacia*, recovery from exposure to ultraviolet radiation, accelerating action of illumination, 167
—, sea urchin, potassium content, changes on fertilization, 285
Electrical response of lateral line system of fish to tone and other stimuli, 1

Electricity, relation of strength-frequency curve in excitation by alternating current to strength-duration and latent addition curves of nerve fiber, 373
Enzymatic content and chemical composition of mitochondria in flight muscles of insects, 675
Enzyme activity and bacteriophage infection, breakdown of adenosinetriphosphate, 619
— distribution in cell, influence on pyruvic acid metabolism by bakers' yeast, 211
— kinetics and rate of biological processes, 193
— systems in *Tetrahymena geleii* S, anaerobic dehydrogenases concerned with carbohydrate oxidation, 775
— systems studied by means of differential microrespirometer, 431
Erythrocyte, human, active transport into, evidence from comparative kinetics and competition among monosaccharides, 515
Erythrocytes, human, in hypotonic systems, diffractometric measurements of tonicity-volume relations, 567
—, human, loss of potassium from, anomalous features, 359
—, mammalian, cation exchange, prolytic effect of x-rays on human cells, 691
Escherichia coli B, mustard gas–treated, nucleic acid synthesis in, 761
— *coli*, cell-free extracts, phosphorylation due to succinic acid oxidation by, 295
— *coli*, oxidation of acetic acid by, evidence for participation of fumarate, malate, and oxalacetate in, 785
— *coli* and *Streptomyces griseus*, ultraviolet-irradiated, action spectra for photoreactivation, 835
Evolution, significance of desoxyribonucleic acid content of animal cells, 451
Excitation by alternating current, strength-frequency curve, relation to strength-duration and latent addition curves of nerve fiber, 373
— characteristics of squid giant axon, test of excitation theory in rapid accommodation case, 19
Excretion data of a labeled end-product, calculation of rate of turnover of compound from, 325
— rate of isotopic nitrogen after feeding isotopic nitrogen-labeled *l*-aspartic acid in man, 339
Extracts of *Escherichia coli*, cell-free, phosphorylation due to succinic acid oxidation by, 295
Eye, human, effect of varying intensity and duration of preexposure upon foveal dark adaptation in, 657

FERTILIZATION, sea urchin eggs, changes in potassium content on, 285
Fiber, motor, single, interaction between synapses, 137
—, nerve, relation of strength-frequency curve in excitation by alternating current to strength-duration and latent addition curves of, 373
Fibrin formation, mechanisms involved in, 493
Fish, lateral line system, electrical response to tone and other stimuli, 1
Flight muscles of insects, chemical composition and enzymatic content of mitochondria in, 675
Formaldehyde reduction by bacterial cells, 573
Fovea, human, visibility of radiation at, 87
Foveal dark adaptation in human eye, effect of varying intensity and duration of preexposure, 657
Fumarate, malate, and oxalacetate, evidence for participation in oxida-

tion of acetic acid by *Escherichia coli*, 785

GAS-TREATED, mustard, *Escherichia coli* B, nucleic acid synthesis in, 761
Glucose oxidation by *Pasteurella pestis*, influence of insulin on rate, 161
Griffithsia globulifera, failure to find intercellular protoplasmic continuity in, 525
Growth and bacteriophage production of lysogenic *Bacillus megatherium*, 715
— of bacteriophages T2, T5, T6, and T7, influence of urethane and of hydrostatic pressure on, 529

HEAT denaturation, reversible, of chymotrypsinogen, 583
Hemolysins, tissue, as lysin-inhibitor complexes, 551
Heparin, release of nuclear gel by, 647
Histones, some properties, and amino acid composition, 439
Humor, aqueous, and plasma of rabbit, chemical composition and osmotic pressure, 389
Hydrocarbons, chain structure, biologic significance, 43
Hydrostatic pressure and urethane, influence on growth of bacteriophages T2, T5, T6, and T7, 529
Hypotonic systems, diffractometric measurements of tonicity-volume relations of human red cells in, 567

ILLUMINATION, accelerating action in recovery of *Arbacia* eggs from exposure to ultraviolet radiation, 167
Insects, flight muscles, mitochondria, chemical composition and enzymatic content, 675
Insulin, influence on rate of glucose oxidation by *Pasteurella pestis*, 161
Irradiation, ultraviolet, *Escherichia coli* and *Streptomyces griseus*, action spectra for photoreactivation, 835
Isotopic nitrogen, excretion rate after feeding isotopic nitrogen-labeled *l*-aspartic acid in man, 339
— nitrogen in urinary ammonia nitrogen and urea nitrogen, relative concentrations after feeding isotopic nitrogen-labeled compounds, 403

KINETICS, comparative, and competition among monosaccharides, evidence of active transport into human erythrocyte from, 515
—, enzyme, and rate of biological processes, 193

LATERAL line system of fish, electrical response to tone and other stimuli, 1
Latex, synthetic rubber, adsorption of ovalbumin on, 183
Light, 2537 Angstroms, effect on green algae and chloroplast preparations, 627
— production by green plants, 809
Lobster nerve protein, isolation and physicochemical characterization, 853
Lysin-inhibitor complexes, tissue hemolysins as, 551
Lysis, human cells, prolytic effect of x-rays, 601

MALATE, fumarate, and oxalacetate, evidence for participation in oxidation of acetic acid by *Escherichia coli*, 785
Mammalian blood, cells and plasma, cation exchange between, sodium and potassium exchange in sheep, dog, cow, and man, effect of plasma potassium concentration, 411
— erythrocytes, cation exchange, prolytic effect of x-rays on human cells, 691

Man, cells, prolytic effect of x-rays, 691
—, erythrocyte, active transport into, evidence from comparative kinetics and competition among monosaccharides, 515
—, excretion rate of isotopic nitrogen after feeding isotopic nitrogen-labeled *l*-aspartic acid, 339
—, eye, effect of varying intensity and duration of preexposure upon foveal dark adaptation in, 657
—, fovea, visibility of radiation at, 87
—, placental cord serum, essential non-dialyzable factors in, 765
—, red cells, in hypotonic systems, diffractometric measurements of tonicity-volume relations, 567
—, red cells, loss of potassium from, anomalous features, 359
—, sheep, dog, and cow, sodium and potassium exchange, effect of plasma potassium concentration, 411
—, spermatozoa, metabolism and motility, sulfhydryl groups in relation to, 705
Media, tissue culture, essential non-dialyzable factors in human placental cord serum, 765
Medium constituents in tissue culture, effect on nucleic acids and radioactive phosphorus uptake, 81
Metabolism and motility of human spermatozoa, sulfhydryl groups in relation to, 705
— of pyruvic acid by bakers' yeast, influence of enzyme distribution in cell, 211
Methyl green, reaction with desoxyribonucleic acid, stoichiometry, and behavior of reaction product, 147
Microrespirometer, differential, enzyme systems studied by means of, 431
Mitochondria in flight muscles of insects, chemical composition and enzymatic content, 675
Monosaccharides, competition among and comparative kinetics, evidence of active transport into human erythrocyte from, 515
Motor fiber, single, interaction between synapses, 137
Muscles, flight, of insects, mitochondria, chemical composition and enzymatic content, 675
Mustard gas-treated *Escherichia coli* B, nucleic acid synthesis in, 761
Myoneural junction, action of inhibitors at, 821

NEOPLASTIC, normal, and precancerous rat tissues, desoxypentosenucleic acid content of nuclei, 59
Nerve activity, potassium movement in relation to, 795
— fiber, relation of strength-frequency curve in excitation by alternating current to strength-duration and latent addition curves of, 373
— protein from lobster nerve, isolation and physicochemical characterization, 853
Neuromuscular transmission, blocking by curare and other drugs, role of potassium, 607
Nicotinic acid, analogues, tissue culture studies, 75
Nitrogen, isotopic, excretion rate after feeding isotopic nitrogen-labeled *l*-aspartic acid in man, 339
—, isotopic, in urinary ammonia nitrogen and urea nitrogen, relative concentrations after feeding isotopic nitrogen-labeled compounds, 403
Nuclear gel, release by heparin, 647
Nuclei of normal, precancerous, and neoplastic rat tissues, desoxypentosenucleic acid content, 59
Nucleic acid, desoxyribo-, content of animal cells, and its evolutionary significance, 451

Nucleic acid, desoxyribo-, content of nuclei of normal, precancerous, and neoplastic rat tissues, 59
— acid, desoxyribo-, reaction of methyl green with, stoichiometry, and behavior of reaction product, 147
— acid synthesis in mustard gas–treated *Escherichia coli* B, 761
— acids and radioactive phosphorus uptake, effect of medium constituents in tissue culture studies, 81

OSMOTIC pressure and chemical composition of aqueous humor and plasma of rabbit, 389
Ovalbumin adsorption on synthetic rubber latex, 183
Oxalacetate, fumarate, and malate, evidence for participation in oxidation of acetic acid by *Escherichia coli*, 785
Oxidase, sarcosine, of bacterial origin, 9
Oxidation, acetate, by bacteria, mechanism, evidence for participation of fumarate, malate, and oxalacetate in oxidation of acetic acid by *Escherichia coli*, 785
—, carbohydrate, in *Tetrahymena geleii* S, anaerobic dehydrogenases concerned with, 775
—, glucose, by *Pasteurella pestis*, influence of insulin on rate, 161
— of succinic acid by cell-free extracts of *Escherichia coli*, phosphorylation due to, 295

PASTEURELLA *pestis*, influence of insulin on rate of glucose oxidation by, 161
Phage. *See* Bacteriophage.
Phosphorus, radioactive, assimilated, mortality of bacteriophage containing, 305
— uptake, radioactive, and nucleic acids, effect of medium constituents in tissue culture studies, 81
Phosphorylation due to succinic acid oxidation by cell-free extracts of *Escherichia coli*, 295
Photoreactivation of ultraviolet-irradiated *Escherichia coli* and *Streptomyces griseus*, action spectra, 835
Physicochemical characterization and isolation of lobster nerve protein, 853
Placental cord serum, human, essential non-dialyzable factors in, 765
Plants, green, light production by, 809
Plasma and aqueous humor of rabbit, chemical composition and osmotic pressure, 389
— and cells of mammalian blood, cation exchange between, sodium and potassium exchange in sheep, dog, cow, and man, effect of plasma potassium concentration, 411
— potassium concentration, effect on sodium and potassium exchange in sheep, dog, cow, and man, 411
Polyploidy and cancer, desoxypentosenucleic acid content of nuclei of normal, precancerous, and neoplastic rat tissues, 59
Potassium content of sea urchin eggs, changes on fertilization, 285
— loss from human red cells, anomalous features, 359
— movement in relation to nerve activity, 795
—, role in blocking of neuromuscular transmission by curare and other drugs, 607
— and sodium exchange in sheep, dog, cow, and man, effect of plasma potassium concentration, 411
Precancerous, normal, and neoplastic rat tissues, desoxypentosenucleic acid content of nuclei, 59
Pressure, hydrostatic, and urethane, influence on growth of bacteriophages T2, T5, T6, and T7, 529
—, osmotic, and chemical composition of aqueous humor and plasma of rabbit, 389
Protein factor and aspartic acid, effect on virus synthesis with various

strains of *Staphylococcus muscae*, 231
Protein factor necessary for virus synthesis, bacteriophage formation in *Staphylococcus muscae* cultures, 225
—, nerve, from lobster nerve, isolation and physicochemical characterization, 853
Protoplasmic continuity, intercellular, failure to find in *Griffithsia globulifera*, 525
Pyruvic acid metabolism by bakers' yeast, influence of enzyme distribution in cell, 211

RADIATION, ultraviolet, accelerating action of illumination in recovery of *Arbacia* eggs from exposure to, 167
—, visibility at human fovea, 87
Radioactive phosphorus, assimilated, mortality of bacteriophage containing, 305
— phosphorus uptake and nucleic acids, effect of medium constituents in tissue culture studies, 81
Radish root-hair cells, aging and influx of water into, 65
Respiration, cellular, enzyme distribution in cell, influence on pyruvic acid metabolism by bakers' yeast, 211
Respirometer, micro-, differential, enzyme systems studied by means of, 431
Ribonucleic acid, desoxy-, content of animal cells, and its evolutionary significance, 451
— acid, desoxy-, content of nuclei of normal, precancerous, and neoplastic rat tissues, 59
— acid, desoxy-, reaction of methyl green with, stoichiometry, and behavior of reaction product, 147
Roentgen rays, prolytic effect on human cells, 691
Root-hair cells, radish, aging and influx of water into, 65
Rubber latex–ovalbumin system, synthetic, adsorption studies, 183

SARCOSINE oxidase of bacterial origin, 9
Sea urchin eggs, potassium content, changes on fertilization, 285
Serum, placental cord, human, essential non-dialyzable factors in, 765
Sheep, dog, cow, and man, sodium and potassium exchange, effect of plasma potassium concentration, 411
Sodium and potassium exchange in sheep, dog, cow, and man, effect of plasma potassium concentration, 411
Spectra, action, for photoreactivation of ultraviolet-irradiated *Escherichia coli* and *Streptomyces griseus*, 835
Spermatozoa, human, metabolism and motility, sulfhydryl groups in relation to, 705
Squid giant axon, excitation characteristics, test of excitation theory in rapid accommodation case, 19
Staphylococcus muscae cultures, bacteriophage formation, effect of multiple infection on virus synthesis in absence and presence of specific substrates, 251
— *muscae* cultures, bacteriophage formation, effect of protein factor and aspartic acid on virus synthesis with various strains, 231
— *muscae* cultures, bacteriophage formation, partial purification of protein factor necessary for virus synthesis, 225
Stoichiometry, reaction of methyl green with desoxyribonucleic acid, and behavior of reaction product, 147
Strength-frequency curve in excitation by alternating current, relation to strength-duration and latent addition curves of nerve fiber, 373
Streptomyces griseus and *Escherichia coli*, ultraviolet-irradiated, action spectra for photoreactivation, 835

Succinic acid oxidation by cell-free extracts of *Escherichia coli*, phosphorylation due to, 295
Sulfhydryl groups in relation to metabolism and motility of human spermatozoa, 705
Synapses of single motor fiber, interaction between, 137

TETRAHYMENA *geleii* S, enzyme systems in, anaerobic dehydrogenases concerned with carbohydrate oxidation, 775
Tissue culture, analogues for nicotinic acid, 75
— culture, effect of medium constituents on nucleic acids and radioactive phosphorus uptake, 81
— culture media, essential non-dialyzable factors in human placental cord serum, 765
— hemolysins as lysin-inhibitor complexes, 551
Tissues, rat, normal, precancerous, and neoplastic, desoxypentosenucleic acid content of nuclei, 59
Titration, quantitative, of complement components, significance of regression line slope changes in, 37
Tone and other stimuli, electrical response of lateral line system of fish to, 1
Tonicity-volume relations of human red cells in hypotonic systems, diffractometric measurements, 567
Toxic agents, distant effects, 279
Transport, active, into human erythrocyte, evidence from comparative kinetics and competition among monosaccharides, 515
Triphosphate, adenosine-, breakdown, enzyme activity and bacteriophage infection, 619
Trypsinogen, chymo-, reversible heat denaturation, 583

ULTRAVIOLET-irradiated *Escherichia coli* and *Streptomyces griseus*, action spectra for photoreactivation, 835
Ultraviolet radiation, accelerating action of illumination in recovery of *Arbacia* eggs from exposure to, 167
Urea nitrogen and urinary ammonia nitrogen, relative concentrations of isotopic nitrogen in after feeding isotopic nitrogen-labeled compounds, 403
Urethane and hydrostatic pressure, influence on growth of bacteriophages T2, T5, T6, and T7, 529
Urinary ammonia nitrogen and urea nitrogen, relative concentrations of isotopic nitrogen in after feeding isotopic nitrogen-labeled compounds, 403

VIRUS synthesis in absence and presence of specific substrates, effect of multiple infection bacteriophage formation in *Staphylococcus muscae* cultures, 251
— synthesis, partial purification of protein factor necessary for, bacteriophage formation in *Staphylococcus muscae* cultures, 225
— synthesis with various strains, effect of protein factor and aspartic acid, bacteriophage formation in *Staphylococcus muscae* cultures, 231
Vision, frequency of seeing functions for intensity discrimination at various levels of adapting intensity, 463
—, radiation at human fovea, 87

WATER influx into radish root-hair cells, and aging, 65

X-RAYS. *See* Roentgen rays.

YEAST, bakers', influence of enzyme distribution in cell on pyruvic acid metabolism by, 211